Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	(("6192320") or ("6476907")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 14:46
L2	141	bio-disc or bio-disk	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 14:47
L3	14	2 and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 14:52
L4	1	2 and authentica\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 14:52
L5	10	2 and bar adj2 code	ÚS-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/04/06 14:59
L6	39	2 and identificat\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 14:56
L7	31	6 not 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 14:56
L8	10	2 and barcode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 15:00
L9	6	8 not 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 15:00

L10 .	28	2 and label	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 15:01
L11	7	10 not 6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 15:01



Search Session History

Welcome United States Patent and Trademark Office

BROWSE

SEARCH

IEEE XPLORE GUIDE

Wed, 6 Apr 2005, 4:03:44 PM EST

Edit an existing query or compose a new query in the Search Query Display.

Select a search number (#)

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- · Delete a search
- Run a search

Search Query Display

Run Search Reset

Recent Search Queries

- #1 (bio-disc<in>metadata)
- #2 (bio disc<lN>metadata)
- #3 (bio disc<IN>metadata)
- #4 (bio<IN>metadata)
- #5 ((bio<in>metadata)<AND>(disc<in>metadata))
- #6 (((bio<in>metadata)<and>(disc<in>metadata))<AND> (node<in>metadata))
- #7 (((((bio<in>metadata)<and>(disc<in>metadata))<and> (node<in>metadata))<and> (authentication<in>metadata))
- #8 ((((bio<in>metadata)<and>(disc<in>metadata))<AND> (node<in>metadata))
- #9 (((((bio<in>metadata)<and>(disc<in>metadata))<and>(node<in>metadata))<AND>(barcode<in>metadata))
- #10 (((bio<in>metadata)<and>(disc<in>metadata))<AND> (node<in>metadata))
- #11 ((((bio<in>metadata)<and>(disc<in>metadata))<and>(node<in>metadata))<AND>(network<in>metadata))

Clear Session History

Inspec*

Help Contact Us Privacy &:

© Copyright 2005 IEEE -